Biopolymers

Subject Index to Volume 31

A- and B-form of DNA oligomers, 45
Absorption spectra, 529
Acid denaturation, 1631
Actin, 1265
Actin with gelsolin, 1265
Active conformations, 785
Agarose, 109
Agarose gel electrophoresis, 1009
Agarose gels, 1025
Aib homo-decapeptide, conformational study of, 129
Aib residue, 1763
Aib-containing oligopeptides, 975
α-helical conformation of decaglycine, 319
α-helicity, 613
Alpha helix, CD of, 569
—, structure and stability, 1605
Alpha-aminoisobutyryl peptides, 1669
Amino proton exchange, 1273
Amphipathic helices, tripeptides, 397
Amylose, conformational dynamics, ^{13}C NMR relaxation, segmental motions, 1581
Amylose–iodine complex, effect of temperature and hydrolysis on experimental spectra vs. theoretical spectra, 57
Analogues, 793
Annealing, 663
Antigen-antibody complexes, size distribution of, 1289
Antigen–antibody interactions, 769
Antigenic activity, of rubella E1 glycoprotein synthetic peptides, 631
Antigenic determinants, identification of, by, 1029
Antiparallel pleated sheet, 193
Antitumor activity, 1325
Application of helix-coil theory to alanine-based peptides, 1463
Aromatic side chains, 1763
Atomic mass weighting, 1077
Avidin, FT-IR/ATR spectroscopic conformational studies of, 827
Bacitracin A, 605
Backbone cyclization, 745
Backbone–side chain interactions, 1513
Bacteriophage T4, 11
Base pairs, 1273
—, DNA, fluctuational opening of, 139
Base-pair formation, noncanonical C–T, 1087
Basic oligopeptides, the effect on B-Z transition of poly(dG-dC)·poly(dG-dC), 275
B-DNA, hydration, 1445
—, water bridges in, 1445
Bending of DNA, studied by rotational diffusion, 1651
Bending of DNA in condensation, 1471
Bending rigidity, of M13 virus, 547
β-(1-naphthyl)alanine, 877
β-alanine, 1181
β-bend ribbon models, 1669
β-bends, 1669
—, of isovaline peptides, 1135
β-sheets, 1529
β-turn, 1181
β-turn models with penicillamine and cysteine, 835
Binding of the alkaline earth metal ions by guanylic acid, 101
Bioactive peptides, 637
Biotin, avidin, tryptophan, 1,4-diaminobutane interaction with, 827
Birefringence, of F-actin, 1283
bis-intercalation of ditercalinium, 331
Bombesin (BN) antagonists, 643
Bombesin antagonists, 1397
Bombesin-like peptides, 1397
Bombesin-like peptides (BLP), 653
Bovine pancreatic trypsin inhibitor (BPTI), 1049
BPTI, Bovine pancreatic trypsin inhibitor, 1347
Branched DNA, conformation and binding properties, 359
—, effect of sequence on conformation, 359
B-Z transition, of poly(dG-dC)·poly(dG-dC) in methanolic solutions, 275

C_2 symmetry, Flexibility of the hinge region, 1189
Calbindin, calcium binding of, 1149
Calcitonin salmon, CD study of, 233
—, NMR study of, 233
—, solution conformation of NMR and CD studies of salmon calcitonin, 233
Calculation of helix probability distributions, 1605
Calmodulin (CaM), domain I, 671
—, domain II, 671
Capillary electrophoresis, separation of DNA restriction fragments by, 1221
—, using entangled polymer solutions, 1221
—, using semi-dilute polymer solutions, 1221
Carbohydrate, 1737
—, conformational dynamics, ^{13}C NMR relaxation, 1581
Carrageenan, 1727
Casomorphin, 1409
Cation binding environments on DNA, magnesium-25 NMR studies of, 1343
CD conformational study, 761
CD studies, effect of Zn^{2+} on DNAs, 23
Cell model, for proteins in salt solution, 1149
Chain exchange, 957
Chemical shift prediction, 845
Chemical shifts of DNA oligomers, 45
Chiral amino acid residues, 735
Chitosan, 1721
Chromatographic studies, molecular weight determination, 1429
Circular dichroic spectra, 529
Circular dichroism, 569, 1397, 1748

—, 5S RNA, 385
—, RNA, 373
—, studies of hGRF(1-29)NH_2, 869
Circular dichroism studies, of lysozyme fragments, 497
—, of oligopurine tracts, 511
—, of β-turn containing cyclic peptides, 835
Circular dichroism studies of helix content and stability, 1605
Circular dichroism study, of B-Z transition of poly(dG-dC)·poly(dG-dC), 275
Circumsporozoite (CS) proteins, 587
cis/trans isomerization, 1409
^{13}C NMR of DNA oligomers, 45
^{13}C-NMR spectroscopy, 933, 967
Coiled coils, coil-helix transition of, 1417
—, folding of, 1417
Coiled-coil proteins, 957
Coil-helix transition, in nonpolymerizable tropomyosin, 1417
—, in $\alpha\alpha$-tropomyosin, 1417
Colchicine, reaction with peptides, 1241
Collagenase, 305
Collisional quenching, 1363
Computer simulation, 1737
Condensed tannins, 537
Conductivity, 65
Conformation, 877, 987, 1017, 1513, 1737
—, of isovaline residue, 1135
—, of the terminally blocked $(Aib)_{10}$ oligopeptide, 129
Conformational analysis, 409, 537, 1748
—, by CD, 869
Conformational changes of nucleotide, 101
Conformational energy calculations, 319, 1529
Conformational energy computations, 637
Conformational energy minimization, 663
Conformational equilibria, 1115
Conformational motions of peptides, 285
Conformational restraint, 745
Conformational studies, Aib rich oligopeptides, 1763
Conformational studies on bombesin and bombesin antagonists, 1397
Conformational study by ^1H NMR, 449
Conformational transformation of ion channels, 1483
Conformations, 933, 941
Contact ion-pair formation, in counterion binding, inducing helix of poly(L-Glu), 1
Cooperativity and allosterism from shared clusters, 1037
Correlated events in biochemistry, 255
Correlation between kinetics, thermodynamics, and viscosimetry, 519
Counter-ion effects, 1171
Crystal structure determination, 409
Curdlan, optical rotation, 1379
Curve deconvolution, DSC curve, 1243
Cyclic analogues, of physalaemin (PHY), 691
Cyclic dipeptides, 1503, 1513
Cyclization, 745
Cyclo tetrapeptides, 735
Cyclolinopeptide A (CLA), 761
Cytosine–thymine base pair, detection of, 1087

Debye–Hückel, screening of divalent ions, 1149
Dehydro residues, 987
δ selectivity, 751
δ-selective opioid peptides, 941
Deltorphin analogues, 751
Denaturation, 1631
Depsipeptide crystal structures, 1669
Dextran, conformational dynamics, ^{13}C NMR relaxation, segmental motions, 1581
4′,6-Diamidino-2-phenylindole (DAPI), 1709
Dielectric continuum models, of proteins in salt solution, 1149
Dielectric relaxation, 1171
Dielectric screening, 1615
Differential scanning calorimetry, thermally-induced conformational transition, 1243
Differential scanning calorimetry (DSC), 477, 489
Diffusion, 1363
Diffusion coefficient, of pDS1-DNA, determined by QLS, 813
—, of pUC19-DNA, determined by QLS, 813
Dipolar coupling, 605
Dipotassium deoxythymidine-5′-monophosphate, 255
Disodium adenosine-5′-monophosphate, 255
Disodium cytidine-5′-monophosphate, 255
Disodium guanosine-5′-monophosphate, 255
Distance distributions, 1363
Distance geometry, 1049
Ditercalinium, 1309
D,L stereoisomeric analogue, 417
DNA, 1171
—, cation binding environments on, 1343
—, CD studies, 23
—, competitive binding of cations to, 1343
—, de/renaturation as function of GC content, 23
—, electrophoresed through agarose and polyacrylamide gels, 1455
—, fluctuational opening of, 1273
—, interactions with peptides containing aromatic groups, 907
—, pDS1, internal motions of, 813
—, pUC19, internal motions of, 813
—, thermal denaturation in the presence of Zn^{2+}, Co^{2+}, and Mg^{2+}, 23
—, UV studies of Zn^{2+} binding, 23
DNA arrest, 1297
DNA bis-intercalating drugs, 1309
DNA CD, calculation of, 1709
DNA condensation and aggregation, theory of, 1471
DNA conformational geometry, 1297
DNA directional melting, 355
DNA duplexes with terminal C–T base pair, 1087
DNA entanglement, 1297
DNA from natural sources, 255
DNA helical parameters, 211
DNA intramolecular nucleotide distribution, 1297
DNA molecules, 1009
DNA polymorphism, 1615
DNA restriction fragments, transient electric birefringence of, 1651
DNA separation by gel

electrophoresis with a new type electric field, 253
DNA-drug complexes, 255
DNA-specific probe, 11
2D-NMR, NOESY, 1189
Double helical DNA, 1615
Double-helical poly rA-poly rU complex, 255
Drug binding, 1309
Drug protons, 1309
Drug–DNA interaction, 331
Drug–DNA interactions, 1309
Dynamic bending rigidity, of M13 virus, 547
Dynamic Laser Light Scattering, 1387
Dynamic light scattering from actin networks, 1265
Dynamic light scattering, from weakly bending rods, 547
Dynamics, 1363, 1737

E. COSY, HMQC-TOCSY, 1189
ECEPP/2 potential energy, 319
Echinomycin, by HPLC, 1689
—, isomers of, 1689
Electric birefringence, of agarose gel, 1095
—, of DNA restriction fragments, 1651
—, of nucleic acid fragments, 1095
Electrical double layer, 169
Electron microscopic observation, mass per unit length, 1243
Electron microscopy, 1025
Electron spin resonance studies, of human plasma fibronectin, 1159
Electrophoresis, of DNA restriction fragments, 1221
—, using capillary electrophoresis, 1221
—, using entangled polymer solutions, 1221
—, using semi-dilute polymer solutions, 1221
Electrophoretic DNA separation, 1009
Electrophoretic force, 169
Electrophoretic mobility, effect of molecular and gel structure, 435
Electrostatic interactions, 1615
—, calculations of, 1149
Electrostatics, 285
End-to-end diffusion, 1363
Energy minimization, 1615
Energy transfer, 1363
Enkephalin, 877
Entangled polymer solutions, applied to electrophoretic separations of DNA restriction fragments, 1221
—, theoretical and experimental investigations, 1221
Enthalpy and entropy components, 1105
Enthalpy–entropy compensation, 1105
Entropic barriers, role in gel electrophoresis of flexible polymers, 435
Epicatechin, 537
EPR, spin trapping technique, 1429
Excluded volume, of T7 DNA, 1559

F-Actin, birefringence of, 1283
Factor analysis, 255
Ferritin, 1387
FIGE, 1297
Fluctuations and instability as a pathway for enhancement of biomolecular interactions, 859
Fluorescence, 537, 643, 653, 1363
Fluorescence spectroscopy, 1363
Fluorine chemical shifts, 845
Fluorine NMR, 845
Folded Overbodenhausen experiment, 1189
Footprinting, 1325
Force field, 169
Fractal structure, 1721
Free energy change, 919
Free energy of side chain contributions to helix stability, 1605
Freeze-etch, 1025
Frequency-domain fluorescence, 1363
FT-IR spectroscopic studies, of valinomycin in organic solvents, detergent micelles, and lipid bilayers, 1205
Furcellaran, 1727

Gallidermin, 803
Gastrin conjugates, 595
Gastrin releasing peptide, 653
Gel, 109
Gel electrophoresis of DNA, 169
Gel electrophoresis, agarose, of nucleic acids, 1095
—, molecular models in dilute gels, Ogston model, 435
Gel electrophoretic technique for size dependent separation of large DNA, 253
Genetic recombination, 1565
Global energy optimizer, 319
Globular protein folding, 119
Globular proteins, 1631
Glucan, conformational dynamics, ^{13}C NMR relaxation, segmental motions, 1581
Glycoprotein, 1737
Glycosidic linkage, conformational dynamics, 1581
Gramicidin A, divalent cation binding site, 425
—, interaction with blocking ions, 425
—, transmembrane ion channel, 425
Grand canonical Monte Carlo, 1593
5′-Guanosine monophosphate: Raman and infrared spectra, 243

Heat aggregation, 1387
Heat of reaction of I in amylose–iodine complex, 57
3_{10}-Helices, 1763
—, of isovaline peptides, 1135
Helices, CD of polypeptide, 569
3_{10}-Helix, CD of, 569
—, of the terminally blocked $(Aib)_{10}$ oligopeptide, 129
Helix-coil transition, 1727
Helix-coil transition in model peptides, 1605
Helix–coil transitions, 1115
Helix-forming propensity, of lysozyme fragments, 497
Helix stabilizing interactions, 285
Helix unwinding in water, mechanism of, 1351
—, molecular dynamics simulation of, 1351
Helix/helix transition, sequence permutation induced, 1763
Heterogeneous molecular aggregation, 1721
Hinge peptide, 1189
^1H NMR, measurements of spin-lattice relaxation rates, 425
^1H-NMR, 1325
^1H NMR spectroscopy, 1409
^1H Nuclear magnetic resonance study, of isovaline peptides, 1135

Holliday junctions, conformation of DNA–drug interactions, 359
Homonuclear 3D spectroscopy, 699
HPLC, detection of isomers by, 1689
—, Echinomycin, 1689
—, MCTANDEM, 1689
—, TANDEM, 1689
—, Triostin A, 1689
Human growth hormone-releasing factor, fragment (1–29), 869
Hyaluronic acid, photochemical degradation, 1429
Hydration, 211, 919, 967
Hydration of peptide helix, 1351
Hydration shell structure, computer simulation, 1445
Hydration structure and DNA condensation, 1471
Hydrazino peptide analogues, 793
Hydrodynamic interaction, 169
Hydrogen bond, 1273
Hydrogen bonding, 1445
Hydrogen bonding in DNA oligomers, 45
Hydrogen bonds, 1017
Hydrogen-bonding patterns, NMR study, 1763
Hydrophobic fluorescent probe (1-anilino-naphthalene-/8-sulfonate) binding, 119
Hydrophobic hydration, 465
Hydroxyisobutyric acid peptides, 1669
Hydroxyproline peptides, 1669
Hypochromism, Soret band, 1257

Identification of rotamers, 1409
IgG1 immunoglobulin, 1189
Imaging, of agarose, 1095
—, of nucleic acids, 1095
Imino and Amino proton exchange, 139
Imino proton exchange, 1273
Immunoglobulin (IgG), 1387
Immunoglobulin G1 (IgG1), 595
Individual DNA molecules, 1297
Induced CD, calculation of, 1709
Induced circular dichroism, of water-soluble porphyrin, 1257
Infrared absorption study, of isovaline peptides, 1135
—, of the terminally blocked $(Aib)_{10}$ oligopeptide, 129
Infrared spectra, 193
In-register β-sheets, 1529
Insulin, 1387
Intercalation, 1325
Intercalation binding to DNA, 1105
Intercalation versus outside binding in the ellipticine series, 519
Interpolyelectrolyte complex, 1437
Intrinsic birefringence, of cytoskeletal bodies, 1283
Ion binding, 671, 761, 1727
Ion distribution, outside proteins, 1149
Ionic strength effects, on DNA, 1559
Ionization of clusters, 1037
Ionophores, 409
IR spectroscopy, 1748
IR studies, Fourier transform attenuated total reflection of biotin, avidin and biotin–avidin complex, 827
Isovaline residue, conformation of, 1135

Kinetics, of nonpolymerizable tropomyosin folding, 1417
—, of $\alpha\alpha$-tropomyosin folding, 1417

Laminaribioside, optical rotation, 1379
Lanthanide (III) nucleotide interaction, 1065
Lantibiotic gallidermin, 803
Lantibiotics, 803
Lattice dynamics, 355
Length dependence of helix stability, 1605
Leucine zippers, stereochemistry, 397
Lifetime, 1325
Light scattering, angle and concentration dependence of, for pDS1-DNA, 813
—, angle and concentration dependence of, for pUC19-DNA, 813
—, low angle, studies of T7 DNA, 1559
Light scattering study, of bovine alpha-crystallin, 1229
Likelihood function method for frequency distributions, 1483
Limited proteolysis, of immune complexes, containing protein antigens and monoclonal antibodies, 1029
Loop modeling, 1077

M13 virus, dynamic bending rigidity of, dynamic light scattering from, 547
Macroscopic dielectric functions, 285
Magnesium binding environments on DNA, magnesium-25 NMR studies of, 1343
Malaria sporozoites, 587
Maximum likelihood analysis from multichannel patch-clamp recordings, 1483
MCTANDEM, by HPLC, 1689
—, by proton NMR, 1689
—, isomers of, 1689
Mean-field approximation, invalidity of, for a polysaccharide sol, 859
Mechanism, of bimolecular slow step, 1417
—, of unimolecular slow step, 1417
Met-enkephalin, finding the global energy minimum structure, 177
Microwave absorption, 1171
Mismatch repair, 1565
Mismatched pair, 211
Mispair, 211
Mode-coupling and viscous dissipation in the course of spinodal demixing, 859
Models of silk fibroin, 1529
Molecular conformation, 417, 1049
Molecular dynamics, 77, 169, 285, 845, 877, 1115
Molecular dynamics (MD), 663
Molecular dynamics simulation, 211, 1017, 1077
Molecular mechanics energy minimizations, 877, 1513
Molecular mechanics studies on C–T base pairs, 1087
Molecular modeling, 735
Molecular weight analysis, gel electrophoresis theories, small and intermediate-sized macromolecules, 435
Monte Carlo procedure, with high directionality using the covariance matrix, 177
Monte Carlo simulation, 1445
—, of free energy differences, 1149
μ selectivity, 751
Multiplicity editing, 621
Multiplicity selection, 621
Myasthenia gravis (MG), 769
Myoglobin H-helix, 1351
Myosin, 1677

Nac-DATADEQG-NH_2 octapeptide, 449

NaCl effect on heat of inverse temperature transition, 465
NaCl effect on temperature of inverse temperature transition, 465
Netropsin/DNA oligomers, solution structure of, 45
Neurokinin receptors, 777
Neurokinins, 691, 777
Neuropeptide Y (NPY), 613
Neuropeptides, 777
Neurotoxins, 1213
NMR, detection of isomers by, 1689
—, MCTANDEM, 1689
—, Triostin A, 1689
—, two-dimensional, of secondary structure of vasoactive intestinal peptide, 459
NMR studies, of bis-intercalating drugs, 1309
—, of DNA–peptide interactions, 907
NMR-spectroscopy, 1213
^{15}N NMR of DNA oligomers, 45
Nonpeptidal substance P mimetic analogues, 725
Nonreplicating phage lambda, 1565
Non-α-helical conformation of decaglycine, 319
Normal mode analysis, 193
NPY analogues, 613
Nuclear magnetic resonance, 1397
Nuclear magnetic resonance (NMR), 643, 1049
Nuclear magnetic resonance (NMR) spectroscopy, 621, 699, 713
Nuclear magnetic resonance studies, of cation binding environments on DNA, 1343
—, of magnesium binding environments on DNA, 1343
Nuclear magnetic resonance study, of the terminally blocked $(Aib)_{10}$ oligopeptide, 129
Nuclear magnetic resonance three-dimensional structure, of disulfide containing peptides, 835
Nucleic acid hydration, 255
Nucleic acids, 1095
—, NMR, viscosity with peptides, 907
Nucleocapsid protein of Moloney murine leukaemia virus, 899
Nucleosome core particle, conformational transitions of, 1543
—, elastic instability of, 1543
—, elasticity theory applied to, 1543
Nucleotide conformational changes, 1065
Nucleotide protons, 1309

Observable correlations between physico-chemical parameters, collected from one and the same specimen, 255
Oligodeoxynucleotides, $^1H\{^{13}C\}$ and $^1H\{^{15}N\}$ NMR of, 45
Oligoelectrolyte, 1593
Oligoelectrolyte end effect, 1593
Oligosaccharide, 1737
—, conformational dynamics, ^{13}C NMR relaxation, segmental motions, 1581
Opiate active peptides, 877
Opiate activity, 1503
Opioid peptides, 751
Opioid peptide–receptor interaction, 941
Optical rotation, curdlan, 1379
—, laminaribioside, 1379
—, turbidometry, QELS, and viscosity studies of demixing and reversible gelation of a polysaccharide sol, 859
Out-of-register β-sheets, 1529

Parallel and anti-parallel sheet structures of tri-L-alanine, a comparison, 187
Parallel pleated sheet, 187, 193
Parameters of α-helix-random coil transition theory, 1463
Peptide conformation, 1181
Peptide crystal structures, 1669
Peptides, containing aromatic groups, DNA interactions, 907
—, structural analysis, 621
Peptide–membrane interactions, 785
Percolation of demixed phases, gel point and minimum gelling concentration, 859
Permeability, 11
Persistence length, of DNA, from QLS, 813
—, of T7 DNA, 1559
pH dependent binding properties, 899
Phospholipid, interaction with, 869
Phycobilisomes (PBS), 1387
Physalaemin (PHY), cyclic analogues, 691
Plasmid, 1437
Poisson–Boltzmann equation, solution in spherical polar coordinates, 1149
Poly(amino acids), 477
Poly(dA)-Poly(dT), hydration, 1445
Poly(dA)-Poly(dU), hydration, 1445
Poly(dA-dI)-Poly(dT-dC), hydration, 1445
poly(dG-dC)·poly(dG-dC), B-Z transition of, circular dichroism study, 275
Poly(proline), CD of, 569
Poly(VPGG), poly(IPGG), poly(GVGVPGGVP), 465
Poly(VPGVG), poly(LPGVG), poly(VPAVG), 465
Poly(L-lysine) dynamics, 967
Poly(L-proline), 529
Polyelectrolyte, 1727
Polyelectrolyte behavior, of DNA, 1559
Polyelectrolyte behavior of DNA, 1471
Polypeptide conformation, 1077
Polyproline, 1748
Polyriboadenylic acid, 65
Polyribouridylic acid, 65
Polysaccharide, 109, 1727
—, conformational dynamics, ^{13}C NMR relaxation, segmental motions, 1581
Poly[(dAdC)(dGdT)], CD studies, 23
—, renaturation by metal ions, 23
—, thermal denaturation in presence of Zn^{2+}, 23
—, UV spectral studies, 23
Poly[(dAdT)]$_2$, thermal denaturation in presence of Zn^{2+}, 23
—, UV spectral studies, 23
Poly[(dGdC)]$_2$, thermal denaturation in presence of Zn^{2+}, 23
—, UV spectral studies, 23
Porphine meso-tetra(4-benzene sulfonate) ion, bound to the α-helix of poly(L-Lys), 1257
Porphine meso-tetra(4-benzoate) ion, bound to the α-helix of poly(L-Lys), 1257
Porphine meso-tetra(4-N-methylpyridinium) ion, bound

to the α-helix of poly(L-Glu), 1257
Potassium polyriboadenylate, Poly rA, 255
Potassium polyribouridylate, Poly rU, 255
Potential energy barrier, 1077
Potential functions, 77
Preferential interaction coefficient, 1593
Probability density functions for multichannels, 1483
Probe diffusion in actin networks, 1265
Probe mobility in actin networks, 1265
Procyanidins, 537
Proline oligomers, 1748
Proline ring conformation, 529
Protein folding, 713, 1115, 1351
—, α-helices, 397
Protein folding and assembly, 465
Protein folding units, of lysozyme, 497
Protein kinetics and equilibrium intermediate states, 119
Protein simulations, 77
Protein stability, 1631
Proteins, 845, 919
—, rotational diffusion parameters, prediction from X-ray scattering, 149
—, thermal expansion of, 161
Protein-specific probe, 11
Proton NMR relaxation study, 305
Proton Nuclear Magnetic Resonance, ^{1}H-NMR, 877, 1513
Protonated double-helical poly rA-poly rA complex, 255
7H-pyrido[4,3-c]carbazol, by ^{1}H and ^{31}P NMR studies, 331
Pyruvate group of xanthan, transition temperature, 1243

Quasi-elastic light scattering, constrained regularization analysis of, 1289
Quasielastic light scattering, of linearized plasmid DNA, 813
—, of superhelical DNA, 813
—, of wormlike chains, 813
Quenching, 1363

Rabies glycoprotein fragment, 713
Raman and infrared spectra of 5′-GMP, 243
Raman spectra, 193
Random coil, 1748
Receptor binding, 613
Receptor requirements, 785
Recombination intermediates, analogs of, 359
Repair enzyme recognition, 211
Restrained MD calculation, 1189
Restraining force, 169
Restriction, 1437
Retro-inverso modification, 1503, 1513
Reversing-pulse electric birefringence, of electrophoresed DNA, 1455
Ribonuclease S, 845
Rigid body dynamics, 77
RMS, Root mean square, 1347
RNA, absorption studies, 373, 385
—, circular dichroism studies, 373, 385
—, secondary structure determination, 373, 385
5S RNA, absorption studies, 385
—, circular dichroism studies, 385
—, high temperature structures, 385
—, secondary structure, 385
Rotational diffusion, of DNA restriction fragments, 1651
Rotational diffusion parameters, prediction from crystal or solution structure of biopolymers, 149
Ru(1,10-phenanthroline)$_3^{2+}$, 1709
Rubella E1 glycoprotein epitopes, 631

Salt effects, in binding constants, 1149
Scalar coupling, 605
Self-association of 5′-GMP in aqueous solution, 243
Self-complementary DNA oligomers, 45
Semi-dilute polymer solutions, applied to electrophoretic separations of DNA restriction fragments, 1221
—, theoretical and experimental investigations, 1221
Sequence specificity study with d(CCTATAGG)$_2$ and comparison with d(TTCGCGAA)$_2$, 331
Shielding effects of small ions, 169
Side chain-side chain interactions and helix stability, 1605
Silk I, 1529
Silk II, 1529
Single-chain conformation, 933
Single-helix conformation, 933
Singular value decomposition, 373
Solid and solution studies of metal-nucleotide complexes, 1065
Solute–solvent interaction, 993
Solution and solid spectra of metal-nucleotide complexes, 101
Solution structure, 1049
Solutions, 1677
Solvent- and salt-induced coil-helix transition, in aqueous organic solvents, 1
Solvent- and salt-induced coil–helix transition, of alkali metal salts of poly(L-Glu), 1
Solvent effects, 1615
Solvent reorganization, 993
Solvent-evaporation method, 975
Spantide, 643
Spin label and fluorescence technique, detection of fibronectin dynamics by, 1159
Spine of hydration, 1445
Spinodal and gelation lines for agarose sols, 859
Spinodal demixing, potentiality of, in promoting self-assembly of a polymer network, 859
Statine residue, crystal state, 683
Statine-containing peptides, 683
Stochastic methods, 77
Stopped flow circular dichroism, of nonpolymerizable tropomyosin folding, 1417
—, of αα-tropomyosin folding, 1417
Stretched exponential, 109
Structure of silk fibroin, 1529
Structure–activity relationships, 877
Structure-function correlation, 1213
Substituent effects, 1105
6-Substituted naphthothiopheneamides, 1105
Sulfhydryl groups, 489
Symmetrically disubstituted glycines, 637
Synthesis, of the terminally blocked (Aib)$_{10}$ oligopeptide, 129
Synthesis of polydeoxynucleotides, containing alternating dA–dG tracts, 511
—, containing oligoadenosine tracts, 511

Synthetic decapeptides, 769
Synthetic immunogens, 595
Synthetic peptides, 631
Synthetic polyelectrolytes, 1437
Synthetic polypeptides, 587

T7 bacteriophage DNA, light scattering properties, 1559
Tachykinins, 725
TANDEM, by HPLC, 1689
—, isomers of, 1689
Tarasov function, 477
TATA box sequence in DNA oligomers, 45
Temperature dependence, of thermal expansion, 161
Terminal hydrogen bonds in α-helices, 319
Tethered DNA, 169
Thermal expansion, of proteins, 161
Thermal unfolding, 489
Thermal unfolding transitions of alanine-based peptides, 1463
Thermodynamic integration, 919
Thermodynamics of drug-DNA binding, 519
Thermodynamics of oligonucleotide denaturation, 1593
Thermodynamics of phase transitions, 465
Three-dimensional structure, 1213
Time-resolved fluorescence, 1363
3D TOCSY-NOESY, 699
3D TOCSY-TOCSY, 699
Toroidal condensation of DNA, 1471
Transfection, 1437
Transfer thermodynamics, 993
Transient electric birefringence, 109
Transient electric birefringence measurements, 1677
Transitional kinetic models for Na^+ channel gating, 1483
Triostin A, by HPLC, 1689
—, by proton NMR, 1689
—, isomers of, 1689
Triple-helix conformation, 933
Tritium NMR relaxation study, 305
Tri-L-alanine structure, 187, 193
Tropomyosin, 489
—, folding of, 1417
Tubulin-β(422-434)-NH_2, 449
Two-chain α-helical coiled coils, 957

UV-absorption, 1325
UV-stimulated recombination, 1565

Valinomycin, complexation with potassium and ammonium ions, 1205
—, D,L stereoisomeric analogue, 417
—, structure in organic solvents, detergents, and lipid bilayers, 1205
Valinomycin analogues, 409
Vasoactive intestinal peptide, secondary structure of, by two-dimensional ^1H nmr, 459
Vibrational circular dichroism, 1748
Video-epifluorescence microscopy, 1009
Viscoelastic properties, 1721

Water simulation, 1189
Weakly bending rods, dynamic light scattering from, 547
Widom perturbation method, for calculation of chemical potentials, 1149
Wobble pair, 211
Wormlike chains, applicability to evaluate, internal motions for DNA from QLS, 813
—, applicability to evaluate, persistence lengths for DNA from QLS, 813

X ray and solution structure, 1189
X-ray conformational studies, 793
X-ray diffraction, Gly-L-Ala-L-Leu, 397
—, Gly-L-Ala-L-Val, 397
X-ray diffraction analysis, of isovaline peptides, 1135
—, of the terminally blocked $(Aib)_{10}$ oligopeptide, 129
X-ray scattering, 1721
Xanthan, double-stranded conformation, 1243
—, in aqueous salt solution, 1243

YQ dipeptide, 449

Zn^{2+}, effect on de/renaturation of DNAs and synthetic polymers, 23
Zn^{2+} binding properties of native and modified zinc finger peptides, 899
Zn^{2+} induced conformational changes, studied by fluorescence spectroscopy, 899

Biopolymers

Author Index to Volume 31

Aida, M. See Saviano, M., 1017
Alfredson, T. V.
—; Maki, A. H.; Waring, M. J.: Conformational Heterogeneity of Quinoxaline Peptides in Solution, 1689
Allgaier, H. See Freund, S., 803
Alonso, D. O. V.
—; Dill, K. A.; Stigter, D.: The Three States of Globular Proteins: Acid Denaturation, 1631
Altmann, E. See Nebel, K., 1135
Amodeo, P. See Tancredi, T., 751
Anderson, C. F. See Olmsted, M. C., 1593
Applequist, J. See Thomasson, K. A., 529
Arseniev, A. S. See Golovanov, A. P., 425
Arvanitidou, E.
—; Hoagland, D.; Smisek, D.: Mobility Models for Stiff and Flexible Macromolecules in Dilute Gels, 435
Ashcroft, J.
—; Live, D. H.; Patel, D. J.; Cowburn, D.: Heteronuclear Two-Dimensional ^{15}N- and ^{13}C-NMR Studies of DNA Oligomers and Their Netropsin Complexes Using Indirect Proton Detection, 45
Astafyeva, I. V. See Kabanov, A. V., 1437
Aubard, J. See Schwaller, M.-A., 519
Aubry, A.
—; Bayeul, D.; Mangeot, J.-P.; Vidal, J.; Sterin, S.; Collet, A.; Lecoq, A.; Marraud, M.: X-Ray Conformational Study of Hydrazino Peptide Analogues, 793
Audet, P.
—; Simard, C.; Savoie, R.: A Vibrational Spectroscopic Study of the Self-Association of 5′-GMP in Aqueous Solution, 243
Augusteyn, R. C. See Schurtenberger, P., 1229

Bagchi, K. See Basu, G., 1763
Balaram, P. See Valle, G., 1669
Balboni, G. See Tancredi, T., 751
Baldwin, R. L. See Scholtz, J. M., 1463
Bali, J.-P. See Moroder, L., 595
Bandekar, J. See Qian, W., 193
Barbucci, R.
—; Magnani, A.; Roncolini, C.; Silvestri, S.: Antigen–Antibody Recognition by Fourier Transform IR Spectroscopy/Attenuated Total Reflection Studies: Biotin–Avidin Complex as an Example, 827
Bardi, R. See Nebel, K., 1135; Valle, G., 1669
Barnickel, G. See Hölzemann, G., 691
Barone, V. See Crisma, M., 637
Barsi, M.-C. See Pothier, J., 1309
Barsukov, I. L. See Golovanov, A. P., 425
Barsukov, L. I. See Golovanov, A. P., 425
Basu, G.
—; Bagchi, K.; Kuki, A.: Conformational Preferences of Oligopeptides Rich in α-Aminoisobutyric Acid. I. Observation of a 3_{10}-/α-Helical Transition upon Sequence Permutation, 1763
Battistutta, R. See Foffani, M. T., 671
Bayeul, D. See Aubry, A., 793
Beck-Sickinger, A. G. See Jung, G., 613
Behe, M. J. See Jayasena, V. K., 511
Bello, J. See Zhang, S., 1241
Benedetti, E. See Tancredi, T., 761; Toniolo, C., 129
Bettelheim, F. A. See Kakar, S. K., 1283
Bláha, K. See Votavová, H., 275

Bloomfield, V.
Condensation of DNA by Multivalent Cations: Considerations on Mechanism, 1471
Bohidar, H. B. See Pal Singh, B., 1387
Bonci, A. See Molinari, H., 713
Bonora, G. M. See Crisma, M., 637; Nebel, K., 1135; Toniolo, C., 129
Borin, G. See Foffani, M. T., 671
Boulanger, Y. See Theriault, Y., 459
Boykin, D. W. See Hopkins, H. P., Jr., 1105
Bracci, L. See Santucci, A., 1029
Brant, D. A. See Kadkhodaei, M., 1581
Braunlin, W. H.
—; Nordenskiöld, L.; Drakenberg, T.: A Re-Examination of $^{25}Mg^{2+}$ NMR in DNA Solution: Site Heterogeneity and Cation Competition Effects, 1343
Brooks, C. L., III See Head-Gordon, T., 77
Bryant, R. G. See Swanson, S. D., 967
Buck, H. M. See Vanhommerig, S. A. M., 1087
Bush, C. A. See Mukhopadhyay, C., 1737
Byk, G. See Gilon, C., 745
Bystrov, V. F. See Golovanov, A. P., 425

Calderan, A. See Foffani, M. T., 671
Camerman, A. See Hempel, A., 187
Camerman, N. See Hempel, A., 187
Candau, S. See Dormoy, Y., 109
Case, D. A. See Soman, K. V., 1351
Cavatorta, P.
—; Sartor, G.; Neyroz, P.; Farruggia, G.; Franzoni, L.;

Szabo, A. G.; Spisni, A.: Fluorescence and CD Studies on the Conformation of the Gastrin Releasing Peptide in Solution and in the Presence of Model Membranes, 653
Cavicchioni, G. See Valle, G., 1669
Chabreček, P. See Lapčík, L'., Jr., 1429
Chaturvedi, S.
—; Go, K.; Parthasarathy, R.: A Sequence Preference for Nucleation of α-Helix—Crystal Structure of Gly-L-Ala-L-Val and Gly-L-Ala-L-Leu: Some Comments on the Geometry of Leucine Zippers, 397
Chay, T. R.
The Hodgkin–Huxley Na^+ Channel Model versus the Five-State Markovian Model, 1483
Chen, Y. Z.
—; Feng, Y.; Prohofsky, E. W.: Premelting Thermal Fluctuational Base Pair Opening Probability of Poly(dA)·Poly(dT) as Predicted by the Modified Self-Consistent Phonon Theory, 139
—; Zhuang, W.; Prohofsky, E. W.: Premelting Thermal Fluctuational Interbase Hydrogen-Bond Disrupted States of a B-DNA Guanine–Cytosine Base Pair: Significance for Amino and Imino Proton Exchange, 1273
Chiappinelli, L. See Verdini, A. S., 587
Chikindas, M. L. See Kabanov, A. V., 1437
Chino, N. See Kobayashi, Y., 1213
Cho, D.
—; Porter, L. J.; Mattice, W. L.: Conformations and Time-Resolved Fluorescence of Oligomers of (−)-Epicatechin with 4β → 8 Interflavan Bonds, 537
Chopra, S. See Pal Singh, B., 1387
Chorev, M.
—; Roubini, E.; Gilon, C.; Selinger, Z.: Toward Nonpeptidal Substance P Mimetic Analogues: Design, Synthesis, and Biological Activity, 725
—; Gilon, C., 745
Chou, K. C. See Mao, B., 1077
Chrambach, A. See Rampino, N. J., 1297
Chuprina, V. P. See Teplukhin, A. V., 1445
Cieslar, C. See Oschkinat, H., 699
Collet, A. See Aubry, A., 793
Colton, C. K. See Murphy, R. M., 1289
Consonni, R. See Molinari, H., 713
Convert, O. See Mauffret, O., 1325
Cornille, F. See Mely, Y., 899
Corongiu, G. See Saviano, M., 1017
Corti, M. See Neri, P., 631
Cowburn, D. See Ashcroft, J., 45
Crisma, M.
—; Valle, G.; Bonora, G. M.; Toniolo, C.; Lelj, F.; Barone, V.; Fraternali, F.; Hardy, P. M.; Maia, H. L. S.: Preferred Conformation of Peptides from $C^{\alpha,\alpha}$-Symmetrically Disubstituted Glycines: Aromatic Residues, 637
—; Nebel, K., 1135; Toniolo, C., 129; Valle, G., 1669
Cristinziano, P. L. See Lelj, F., 663
Cung, M. T.
—; Demange, P.; Marraud, M.; Tsikaris, V.; Sakarellos, C.; Papadouli, I.; Kokla, A.; Tzartos, S. J.: Two-Dimensional ^{1}H-NMR Study of Antigen–Antibody Interactions: Binding of Synthetic Decapeptides to an Anti-Acetylcholine Receptor Monoclonal Antibody, 769
Curry, J. F.
—; Krause, S.: On the Flexibility of Myosin in Solution, 1677

Daggett, V.
—; Kollman, P. A.; Kuntz, I. D.: A Molecular Dynamics Simulation of Polyalanine: An Analysis of Equilibrium Motions and Helix–Coil Transitions, 1115
—; Kollman, P. A.; Kuntz, I. D.: Molecular Dynamics Simulations of Small Peptides: Dependence on Dielectric Model and pH, 285
Darlix, J.-L. See Mely, Y., 899
D'Auria, G. See Di Bello, C., 643, 1397
De Castiglione, R. See Di Bello, C., 643, 1397
Delaet, N. G. J.
—; Verheyden, P. M. F.; Tourwé, D.; Van Binst, G.: Assignment of the ^{1}H NMR Resonances of the Four Rotamers of β-Casomorphin-5 in DMSO, 1409
Delepierre, M.
—; Milhe, C.; Namane, A. A.; Dinh, T. H.; Roques, B. P.: ^{1}H- and ^{31}P-NMR Studies of Ditercalinium Binding to a $d(GCGC)_2$ and $d(CCTATAGG)_2$ Minihelices: A Sequence Specificity Study, 331
—; Pothier, J., 1309
Demange, P. See Cung, M. T., 769
Di Bello, C.
—; Scatturin, A.; D'Auria, G.; Gargiulo, M.; Paolillo, L.; Trivellone, E.; De Castiglione, R.: Fluorescence, CD, and NMR Studies on Spantide, A Bombesin and Substance P Antagonist, 643
—; Scatturin, A.; Vertuani, G.; D'Auria, G.; Gargiulo, M.; Paolillo, L.; Trivellone, E.; Gozzini, L.; De Castiglione, R.: Conformational Studies on Bombesin Antagonists. CD and NMR Characterization of [THR^6 LEU$^{13}\Psi$(CH_2NH) MET^{14}] Bombesin (6-14), 1397
Di Blasio, B.
—; Lombardi, A.; Yang, X.; Pedone, C.; Pavone, V.: β-Alanyl-β-Alanine in Cyclic β-Turned Peptides, 1181
—; Toniolo, C., 129
Di Stefano, L. See Emanuele, A., 859
Dill, K. A. See Alonso, D. O. V., 1631
Dinh, T. H. See Delepierre, M., 331
Dive, V.
—; Lai, A.; Valensin, G.; Saba, G.;

Yiotakis, A.; Toma, F.: Proton and Tritium NMR Relaxation Studies of Peptide Inhibitor Binding to Bacterial Collagenase: Conformation and Dynamics, 305
Dodin, G. See Schwaller, M.-A., 519
Dorfmüller, Th. See Seils, J., 813
Dormoy, Y.
—; Candau, S.: Transient Electric Birefringence Study of Highly Dilute Agarose Solutions, 109
Drakenberg, T. See Braunlin, W. H., 1343
Duax, W. L. See Langs, D. A., 417; Pletnev, V. Z., 409
Duda, C. A.
—; Stevens, E. S.: Solution Conformation of Laminaribioside and (1→3)-β-D-Glucan from Optical Rotation, 1379
Dukor, R. K.
—; Keiderling, T. A.: Reassessment of the Random Coil Conformation: Vibrational CD Study of Proline Oligopeptides and Related Polypeptides, 1748
Dürr, H. See Jung, G., 613

Ebert, G. See Ikeda, S., 1257
Eirmann, V. See Hölzemann, G., 691
Eis, P. S. See Lakowicz, J. R., 1363
Emanuele, A.
—; Di Stefano, L.; Giacomazza, D.; Trapanese, M.; Palma-Vittorelli, M. B.; Palma, M. U.: Time-Resolved Study of Network Self-Organization from a Biopolymeric Solution, 859
Erata, T. See Saitô, H., 933

Farruggia, G. See Cavatorta, P., 653
Feliz, M. See Pons, M., 605
Feng, Y. See Chen, Y. Z., 139
Fermandjian, S. See Mauffret, O., 1325
Finch, J. See Whytock, S., 1025
Foffani, M. T.
—; Battistutta, R.; Calderan, A.; Ruzza, P.; Borin, G.; Peggion, E.: Conformational and Binding Studies on Peptides Related to Domains I and III of Calmodulin, 671
Folkers, G. See Freund, S., 803
Fossey, S. A.
—; Némethy, G.; Gibson, K. D.; Scheraga, H. A.: Conformational Energy Studies of β-Sheets of Model Silk Fibroin Peptides. I. Sheets of Poly(Ala-Gly) Chains, 1529
Fotta, K. See Minick, M., 57
Fournié-Zaluski, M.-C. See Mely, Y., 899
Franzoni, L. See Cavatorta, P., 653
Fraternali, F. See Crisma, M., 637
Freund, S.
—; Jung, G.; Gutbrod, O.; Folkers, G.; Gibbons, W. A.; Allgaier, H.; Werner, R.: The Solution Structure of the Lantibiotic Gallidermin, 803
Fujii, Y. See Satoh, M., 1
Fujiwara, K. See Segawa, S.-I., 497
Fukudome, K.
—; Iwasaki, K.; Matsumoto, S.; Yamaoka, K.: Undesirable Contamination of DNA Electrophoresed through Polyacrylamide and Agarose Gels as Revealed by Reversing-Pulse Electric Birefringence Signals, 1455
Fukuno, T. See Segawa, S.-I., 497
Fushiki, M.
—; Svensson, B.; Jönsson, B.; Woodward, C. E.: Electrostatic Interactions in Protein Solution—A Comparison Between Poisson–Boltzmann and Monte Carlo Calculations, 1149

Gaida, W. See Jung, G., 613
Gans, P. J.
—; Lyu, P. C.; Manning, M. C.; Woody, R. W.; Kallenbach, N. R.: The Helix-Coil Transition in Heterogeneous Peptides with Specific Side Chain Interactions: Theory and Comparison with Circular Dichroism Spectra Data, 1605
Garbay, C. See Pothier, J., 1309
García-Echeverría, C.
—; Siligardi, G.; Mascagni, P.; Gibbons, W.; Giralt, E.; Pons, M.: Conformational Analysis of Two Cyclic Disulfide Peptides, 835
Gargiulo, M. See Di Bello, C., 643, 1397
Gasan, A. I. See Starikov, E. B., 255
Gehrig, C. A. See Nikiforovich, G. V., 941
Georgalis, Y. See Zielenkiewicz, P., 1347
Gérard, D. See Mely, Y., 899
Gerig, J. T. See Gregory, D. H., 845
Giacomazza, D. See Emanuele, A., 859
Gibbons, W. See García-Echeverría, C., 835
Gibbons, W. A. See Freund, S., 803
Gibson, K. D. See Fossey, S. A., 1529
Gilmanshin, R. I. See Semisotnov, G. V., 119
Gilon, C.
—; Halle, D.; Chorev, M.; Selinger, Z.; Byk, G.: Backbone Cyclization: A New Method for Conferring Conformational Constraint on Peptides, 745
—; Chorev, M., 725
Giralt, E. See García-Echeverría, C., 835; Pons, M., 605
Go, K. See Chaturvedi, S., 397
Golovanov, A. P.
—; Barsukov, I. L.; Arseniev, A. S.; Bystrov, V. F.; Sukhanov, S. V.; Barsukov, L. I.: The Divalent Cation-Binding Sites of Gramicidin A Transmembrane Ion-Channel, 425
Goodman, M. See Nunami, K., 1503; Yamazaki, T., 877, 1513
Gozzini, L. See Di Bello, C., 1397
Gray, D. M. See Johnson, K. H., 373, 385
Gregory, D. H.
—; Gerig, J. T.: Prediction of Fluorine Chemical Shifts in Proteins, 845
Griess, G. A.
—; Khan, S. A.; Serwer, P.: Variation of the Permeability

of Bacteriophage T4: Analysis by Use of a Protein-Specific Probe for the T4 Interior, 11
Grimaldi, M. See Tancredi, T., 761
Grimaldi, P. See Lelj, F., 663
Gripas', A. F. See Semisotnov, G. V., 119
Grochulski, P. See Langs, D. A., 417; Pletnev, V. Z., 409
Grossman, P. D.
—; Soane, D. S.: Experimental and Theoretical Studies of DNA Separations by Capillary Electrophoresis in Entangled Polymer Solutions, 1221
Gryczynski, I. See Lakowicz, J. R., 1363
Gukelberger, G. See Newman, J., 1265
Guo, Q.
—; Lu, M.; Kallenbach, N. R.: Conformational Preference and Ligand Binding Properties of DNA Junctions Are Determined by Sequence at the Branch, 359
Gut, V. See Votavová, H., 275
Gutbrod, O. See Freund, S., 803

Halle, D. See Gilon, C., 745
Hardy, P. M. See Crisma, M., 637
Harpst, J. A. See Sobel, E. S., 1559
Hays, J. B.
—; Hays, J. G.: A Probabilistic Model for Genetic Recombination of Nonreplicating Lambda Phage DNA, Stimulated by "Mismatch Repair" of UV Photoproducts, 1565
Hays, J. G. See Hays, J. B., 1565
Head-Gordon, T.
—; Brooks, C. L., III: Virtual Rigid Body Dynamics, 77
Hempel, A.
—; Camerman, N.; Camerman, A.: L-Alanyl-L-Alanyl-L-Alanine: Parallel Pleated Sheet Arrangement in Unhydrated Crystal Structure, and Comparisons with the Antiparallel Sheet Structure, 187
Hiebl, M.
—; Maksymiw, R.: Anomalous Temperature Dependence of the Thermal Expansion of Proteins, 161
Hoagland, D. See Arvanitidou, E., 435
Hoflack, J. See Meyer, J.-P., 233
Holak, T. A. See Oschkinat, H., 699
Holtzer, A. See Mo, J., 1417; Ozeki, S., 957; Sturtevant, J. M., 489
Holtzer, M. E. See Mo, J., 1417; Ozeki, S., 957; Sturtevant, J. M., 489
Hölzemann, G.
—; Jończyk, A.; Eirmann, V.; Pachler, K. G. R.; Barnickel, G.; Regoli, D.: Conformation-Based Design of Two Cyclic Physalaemin Analogues, 691
Honda, S.
—; Ohashi, S.; Morii, H.; Uedaira, H.: Solution Structure of Human Growth Hormone-Releasing Factor Fragment (1–29) by CD: Characteristic Conformational Change on Phospholipid Membrane, 869
Hopkins, H. P., Jr.
—; Ming, Y.; Wilson, W. D.; Boykin, D. W.: Intercalation Binding of 6-Substituted Naphthothiopheneamides to DNA: Enthalpy and Entropy Components, 1105
Hruby, V. J. See Nikiforovich, G. V., 941
Huber, R. See Kessler, H., 1189

Igolen, J. See Pothier, J., 1309
Ikeda, S.
—; Nezu, T.; Ebert, G.: Induced Circular Dichroism and Interaction of Some Porphyrin Derivatives with α-Helical Polypeptides in Aqueous Solutions, 1257
Ivanov, V. T. See Langs, D. A., 417
Ivanova, V. T. See Pletnev, V. Z., 409
Iwasaki, K. See Fukudome, K., 1455

Jackson, M.
—; Mantsch, H. H.: Valinomycin and Its Interaction with Ions in Organic Solvents, Detergents, and Lipids Studied by Fourier Transform IR Spectroscopy, 1205
Jayasena, V. K.
—; Behe, M. J.: Oligopurine·Oligopyrimidine Tracts Do Not Have the Same Conformation as Analogous Polypurine·Polypyrimidines, 511
Jernigan, R. L. See Mazur, J., 1615
Jhon, M. S. See Shin, J. K., 177
Jia, X.
—; Marzilli, L. G.: Zinc Ion–DNA Polymer Interactions, 23
Johnson, K. H.
—; Gray, D. M.: A Method for Estimating the Nearest Neighbor Base-Pair Content of RNAs Using CD and Absorption Spectroscopy, 373
—; Gray, D. M.: An Estimate of the Nearest Neighbor Base-Pair Content of 5S RNA Using CD and Absorption Spectroscopy, 385
Johnson, M. L. See Lakowicz, J. R., 1363
Jończyk, A. See Hölzemann, G., 691
Jönsson, B. See Fushiki, M., 1149
Jung, G.
—; Beck-Sickinger, A. G.; Dürr, H.; Gaida, W.; Schnorrenberg, G.: α-Helical Small Molecular Size Analogues of Neuropeptide Y: Structure–Activity Relationships, 613
—; Freund, S., 803

Kabanov, A. V.
—; Astafyeva, I. V.; Chikindas, M. L.; Rosenblat, G. F.; Kiselev, V. I.; Severin, E. S.; Kabanov, V. A.: DNA Interpolyelectrolyte Complexes as a Tool for Efficient Cell Transformation, 1437
Kabanov, V. A. See Kabanov, A. V., 1437
Kadkhodaei, M.
—; Wu, H.; Brant, D. A.: Comparison of the Conformational Dynamics of the (1→4)- and (1→6)-Linked α-D-Glucans Using ^{13}C NMR Relaxation, 1581
Kakar, S. K.
—; Bettelheim, F. A.: Birefringence of Actin, 1283
Kallenbach, N. R. See Gans, P. J., 1605; Guo, Q., 359

Karimi, A. See Soman, K. V., 1351
Kato, F. See Satoh, M., 1
Kato, T. See Ozeki, S., 957
Kawai, M. See Matsumoto, T., 1721
Keiderling, T. A. See Dukor, R. K., 1748
Kessler, H.
—; Mronga, S.; Müller, G.; Moroder, L.; Huber, R.: Conformational Analysis of a IgG1 Hinge Peptide Derivative in Solution Determined by NMR Spectroscopy and Refined by Restrained Molecular Dynamics Simulations, 1189
—; Schmieder, P.: Heteronuclear Two- and Three-Dimensional NMR Spectroscopy of ^{13}C in Natural Abundance by Multiplicity Selection and Editing: Application to Peptides, 621
Khan, A. See Minick, M., 57
Khan, S. A. See Griess, G. A., 11
Khandelwal, B. See Narula, P., 987
Kim, U.-S. See Song, L., 547
Kimura, T. See Kobayashi, Y., 1213
Kiselev, V. I. See Kabanov, A. V., 1437
Kitamura, S.
—; Takeo, K.; Kuge, T.; Stokke, B. T.: Thermally-Induced Conformational Transition of Double-Stranded Xanthan in Aqueous Salt Solutions, 1243
Kobayashi, Y.
—; Takashima, H.; Tamaoki, H.; Kyogoku, Y.; Lambert, P.; Kuroda, H.; Chino, N.; Watanabe, T. X.; Kimura, T.; Sakakibara, S.; Moroder, L.: The Cystine-Stabilized α-Helix: A Common Structural Motif of Ion-Channel Blocking Neurotoxic Peptides, 1213
—; Moroder, L., 595
Kokla, A. See Cung, M. T., 769
Kollman, P. A. See Daggett, V., 285, 1115
Komiyama, J. See Satoh, M., 1
Kotaka, T. See Shikata, T., 253
Kotovych, G. See Otter, A., 449
Kozlov, A. G. See Kuznetsov, I. A., 65
Krause, S. See Curry, J. F., 1677
Krimm, S. See Qian, W., 193
Kuge, T. See Kitamura, S., 1243
Kuki, A. See Basu, G., 1763
Kuntz, I. D. See Daggett, V., 285, 1115; Oshiro, C. M., 1049
Kuroda, H. See Kobayashi, Y., 1213
Kusba, J. See Lakowicz, J. R., 1363
Kuznetsov, I. A.
—; Vorontsova, O. V.; Kozlov, A. G.: Polyelectrolyte Properties of Biopolymers: Conductivity and Secondary Structure of Polyriboadenylic Acid and Its Salts in Solutions, 65
Kyogoku, Y. See Kobayashi, Y., 1213

Lai, A. See Dive, V., 305
Lai, C. S. See Narasimhan, C., 1159
Lakowicz, J. R.
—; Kusba, J.; Szmacinski, H.; Gryczynski, I.; Eis, P. S.; Wiczk, W.; Johnson, M. L.: Resolution to End-to-End Diffusion Coefficients and Distance Distributions of Flexible Molecules Using Fluorescent Donor–Acceptor and Donor–Quencher Pairs, 1363
Lambert, P. See Kobayashi, Y., 1213
Lanan, M.
—; Shick, R.; Morris, M. D.: Electric Birefringence Imaging of Electrokinetic Agarose Orientation, 1095
Langs, D. A.
—; Grochulski, P.; Duax, W. L.; Pletnev, V. Z.; Ivanov, V. T.: Molecular Conformation of a D,L Stereoisomeric Analogue of Valinomycin, Cyclo[-(L-Val-L-Hyi-L-Val-D-Hyi)$_2$-(D-Val-L-Hyi-L-Val-D-Hyi)-], 417
—; Pletnev, V. Z., 409
Lapčík, L'., Jr.
—; Chabreček, P.; Staško, A.: Photodegradation of Hyaluronic Acid—EPR and Size Exclusion Chromatography Study, 1429
Le Bret, M. See Pothier, J., 1309
Lecoq, A. See Aubry, A., 793
Lee, B.
Solvent Reorganization Contribution to the Transfer Thermodynamics of Small Nonpolar Molecules, 993
Lelj, F.
—; Grimaldi, P.; Cristinziano, P. L.: Conformational Energy Minimization by Simulated Annealing Using Molecular Dynamics: Some Improvements to the Monitoring Procedure, 663
—; Crisma, M., 637
Lescot, E. See Mauffret, O., 1325
Link, U. See Mästle, W., 735
Litovitz, T. A. See Saif, B., 1171
Live, D. H. See Ashcroft, J., 45
Lombardi, A. See Di Blasio, B., 1181
Lozzi, L. See Molinari, H., 713; Neri, P., 631
Lu, M. See Guo, Q., 359
Luan, C.-H.
—; Parker, T. M.; Prasad, K. U.; Urry, D. W.: Differential Scanning Calorimetry Studies of NaCl Effect on the Inverse Temperature Transition of Some Elastin-Based Polytetra-, Polypenta-, and Polynonapeptides, 465
Lyng, R.
—; Rodger, A.; Nordén, B.: The CD of Ligand–DNA Systems. I. Poly(dG-dC) B-DNA, 1709
Lyu, P. C. See Gans, P. J., 1605

Maccioni, R. B. See Otter, A., 449
Maggiora, G. M. See Mao, B., 1077
Magnani, A. See Barbucci, R., 827
Maia, H. L. S. See Crisma, M., 637
Maki, A. H. See Alfredson, T. V., 1689
Maksymiw, R. See Hiebl, M., 161
Maleev, V. Y. See Starikov, E. B., 255
Mangeot, J.-P. See Aubry, A., 793
Manning, G. S. See Marky, N. L., 1543
Manning, M. C.
—; Woody, R. W.: Theoretical CD Studies of Polypeptide Helices: Examination of Important Electronic and Geometric Factors, 569

—; Gans, P. J., 1605
Mantsch, H. H. See Jackson, M., 1205
Mao, B.
—; Maggiora, G. M.; Chou, K. C.: Mass-Weighted Molecular Dynamics Simulation of Cyclic Polypeptides, 1077
Marastoni, M. See Tancredi, T., 751
Marky, N. L.
—; Manning, G. S.: The Elastic Resilience of DNA Can Induce All-or-None Structural Transitions in the Nucleosome Core Particle, 1543
Marraud, M. See Aubry, A., 793; Cung, M. T., 769
Martinez, C. S. See Robledo-Luiggi, C., 907
Marzilli, L. G. See Jia, X., 23
Mascagni, P. See García-Echeverría, C., 835
Mästle, W.
—; Link, U.; Witschel, W.; Thewalt, U.; Weber, T.; Rothe, M.: Conformation and Formation Tendency of the Cyclotetrapeptide *cyclo*(D-Pro-D-Pro-L-Pro-L-Pro): Experimental Results and Molecular Modeling Studies, 735
Masuda, T. See Matsumoto, T., 1721
Matsumoto, S. See Fukudome, K., 1455
Matsumoto, T.
—; Kawai, M.; Masuda, T.: Heterogeneous Molecular Aggregation and Fractal Structure in Chitosan/Acetic Acid Systems, 1721
Mattice, W. L. See Cho, D., 537
Mauffret, O.
—; Rene, B.; Convert, O.; Monnot, M.; Lescot, E.; Fermandjian, S.: Drug–DNA Interactions: Spectroscopic and Footprinting Studies of Site and Sequence Specificity of Elliptinium, 1325
Mazor, M. H. See Wade, R. C., 919
Mazur, J.
—; Jernigan, R. L.: Distance Dependent Dielectric Constants and Their Application to Double Helical DNA, 1615
McCammon, J. A. See Wade, R. C., 919
Mely, Y.
—; Cornille, F.; Fournié-Zaluski, M.-C.; Darlix, J.-L.; Roques, B. P.; Gérard, D.: Investigation of Zinc-Binding Affinities of Moloney Murine Leukemia Virus Nucleocapsid Protein and Its Related Zinc Finger and Modified Peptides, 899
Meyer, J.-P.
—; Pelton, J. T.; Hoflack, J.; Saudek, V.: Solution Structure of Salmon Calcitonin, 233
Mikhailova, I. Y. See Pletnev, V. Z., 409
Milhe, C. See Delepierre, M., 331
Ming, Y. See Hopkins, H. P., Jr., 1105
Minick, M.
—; Fotta, K.; Khan, A.: Polyiodine Units in Starch–Iodine Complex: INDO CI Study of Spectra and Comparison with Experiments, 57
Mo, J.
—; Holtzer, M. E.; Holtzer, A.: Kinetics of Folding and Unfolding of $\alpha\alpha$-Tropomyosin and of Nonpolymerizable $\alpha\alpha$-Tropomyosin, 1417
Mohr, R. K. See Saif, B., 1171
Molinari, H.
—; Consonni, R.; Pegna, M.; Zetta, L.; Neri, P.; Niccolai, N.; Bonci, A.; Lozzi, L.; Rustici, M.; Scarselli, M.: ^{1}H- and Natural Abundance ^{15}N-NMR Studies of a Derivative of a Rabies Glycoprotein Fragment, 713
Molins, M. A. See Pons, M., 605
Monnot, M. See Mauffret, O., 1325
Montrose, C. J. See Saif, B., 1171
Morii, H. See Honda, S., 869
Moroder, L.
—; Bali, J.-P.; Kobayashi, Y.: Synthetic Immunogens. Part IV: Conformational Studies on Gastrin Conjugates with the Human Immunoglobulin G1 Hinge Peptide 225-232/225′-232′, 595
—; Kessler, H., 1189; Kobayashi, Y., 1213
Morris, M. D. See Lanan, M., 1095
Mronga, S. See Kessler, H., 1189
Mukhopadhyay, C.
—; Bush, C. A.: Molecular Dynamics Simulation of Lewis Blood Groups and Related Oligosaccharides, 1737
Müller, G. See Kessler, H., 1189
Müller, J. J.
Prediction of the Rotational Diffusion Behavior of Biopolymers on the Basis of Their Solution or Crystal Structure, 149
Murphy, R. M.
—; Yarmush, M. L.; Colton, C. K.: Determining Molecular Weight Distributions of Antigen–Antibody Complexes by Quasi-Elastic Light Scattering, 1289
Mutter, M. See Nebel, K., 1135

Nakayama, M. See Okuyama, K., 975
Namane, A. A. See Delepierre, M., 331
Nantel, F. See Regoli, D., 777
Narasimhan, C.
—; Lai, C. S.: Differential Behavior of the Two Free Sulfhydryl Groups of Human Plasma Fibronectin: Effects of Environmental Factors, 1159
Narita, M. See Okuyama, K., 975
Narula, P.
—; Khandelwal, B.; Singh, T. P.: Synthesis, Crystal Structure, and Molecular Conformation of N-Ac-Dehydro-Phe-L-Val-L-Val-OCH_3, 987
Nebel, K.
—; Altmann, E.; Mutter, M.; Bardi, R.; Piazzesi, A. M.; Crisma, M.; Bonora, G. M.; Toniolo, C.: Structural Versatility of Peptides from $C^{\alpha,\alpha}$-Disubstituted Glycines: Preferred Conformation of the Chiral Isovaline Residue, 1135
Némethy, G. See Fossey, S. A., 1529

Neri, P.
—; Corti, M.; Lozzi, L.; Valensin, P. E.: Structure and Antigenic Activity of Rubella E1 Glycoprotein Synthetic Peptides, 631
—; Molinari, H., 713; Santucci, A., 1029
Newman, J.
—; Gukelberger, G.; Schick, K. L.: Probe Diffusion in Solutions of Filamentous Actin Formed in the Presence of Gelsolin, 1265
Neyroz, P. See Cavatorta, P., 653
Nezu, T. See Ikeda, S., 1257
Niccolai, N. See Molinari, H., 713
Nikiforovich, G. V.
—; Hruby, V. J.; Prakash, O.; Gehrig, C. A.: Topographical Requirements for δ-Selective Opioid Peptides, 941
Nilsson, S. See Zhang, W., 1727
Noda, Y. See Segawa, S.-I., 497
Nordén, B. See Lyng, R., 1709
Nordenskiöld, L. See Braunlin, W. H., 1343
Nunami, K.
—; Yamazaki, T.; Goodman, M.: Cyclic Retro-Inverso Dipeptides with Two Aromatic Side Chains I. Synthesis, 1503
—; Yamazaki, T., 1513

Ohashi, S. See Honda, S., 869
Okuyama, K.
—; Saga, Y.; Nakayama, M.; Narita, M.: Molecular and Crystal Structures of Aib-Containing Oligopeptides Boc-Leu_4-Aib-Leu_4-OBzl and Boc-$(Leu_4\text{-Aib})_2$-OBzl, 975
Olmsted, M. C.
—; Anderson, C. F.; Record, M. T., Jr.: Importance of Oligoelectrolyte End Effects for the Thermodynamics of Conformational Transitions of Nucleic Acid Oligomers: A Grand Canonical Monte Carlo Analysis, 1593
Oschkinat, H.
—; Holak, T. A.; Cieslar, C.: Assignment of Protein NMR Spectra in the Light of Homonuclear 3D Spectroscopy: An Automatable Procedure Based on 3D TOCSY-TOCSY and 3D TOCSY-NOESY, 699
Oshiro, C. M.
—; Thomason, J.; Kuntz, I. D.: Effects of Limited Input Distance Constraints Upon the Distance Geometry Algorithm, 1049
Otter, A.
—; Scott, P. G.; Maccioni, R. B.; Kotovych, G.: The Solution Conformation of Tubulin-β(422-434)-NH_2 and Its Nac-DATADEQG-NH_2 Fragment Based on NMR, 449
Ozeki, S.
—; Kato, T.; Holtzer, M. E.; Holtzer, A.: The Kinetics of Chain Exchange in Two-Chain Coiled Coils: αα- and ββ-Tropomyosin, 957

Pachler, K. G. R. See Hölzemann, G., 691
Pal Singh, B.
—; Bohidar, H. B.; Chopra, S.: Heat Aggregation Studies of Phycobilisomes, Ferritin, Insulin, and Immunoglobulin by Dynamic Light Scattering, 1387
Palma, M. U. See Emanuele, A., 859
Palma-Vittorelli, M. B. See Emanuele, A., 859
Paolillo, L. See Di Bello, C., 643, 1397
Papadouli, I. See Cung, M. T., 769
Pares, E. See Robledo-Luiggi, C., 907
Parker, T. M. See Luan, C.-H., 465
Parthasarathy, R. See Chaturvedi, S., 397
Patel, D. J. See Ashcroft, J., 45
Pavone, V. See Di Blasio, B., 1181; Toniolo, C., 129
Pedone, C. See Di Blasio, B., 1181; Tancredi, T., 761; Toniolo, C., 129
Peggion, E. See Foffani, M. T., 671
Pegna, M. See Molinari, H., 713
Pelton, J. T. See Meyer, J.-P., 233
Piazzesi, A. M. See Nebel, K., 1135; Valle, G., 1669
Picone, D. See Tancredi, T., 751
Piculell, L. See Zhang, W., 1727
Pírková, J. See Votavová, H., 275
Pletnev, V. Z.
—; Mikhailova, I. Y.; Ivanova, V. T.; Langs, D. A.; Grochulski, P.; Duax, W. L.: The Structure of [D-Hyi^2, L-Hyi^4]*meso*-Valinomycin Revealed by X-Ray Analysis, 409
—; Langs, D. A., 417
Poltev, V. I. See Teplukhin, A. V., 1445
Pons, M.
—; Feliz, M.; Molins, M. A.; Giralt, E.: Conformational Analysis of Bacitracin A, a Naturally Occurring Lariat, 605
—; García-Echeverría, C., 835
Porter, L. J. See Cho, D., 537
Pothier, J.
—; Delepierre, M.; Barsi, M.-C.; Garbay, C.; Igolen, J.; Le Bret, M.; Roques, B. P.: Comparison of the bis-Intercalating Complexes Formed between Either Ditercalinium or a Flexible Analogue and $d(CpGpCpG)_2$ or $d(TpTpCpGpCpGpApA)_2$ Minihelices: ^1H and ^{31}P NMR Analyses, 1309
Prabhu, V. V.
—; Young, L.; Prohofsky, E. W.: Observation of Preferred Direction Melting in a Lattice Model of Poly(dA-dC)·Poly(dG-dT), 355
Prakash, O. See Nikiforovich, G. V., 941
Prasad, K. U. See Luan, C.-H., 465
Precigoux, G.
Conformational Preferences and the Role of the Statine Residue in the Crystal State, 683
Prohofsky, E. W. See Chen, Y. Z., 139, 1273; Prabhu, V. V., 355

Qian, H. See Scholtz, J. M., 1463
Qian, W.
—; Bandekar, J.; Krimm, S.: Vibrational Analysis of Crystalline Tri-L-Alanine, 193
Quiocho, F. A. See Wade, R. C., 919

Rampino, N. J.
Information Concerning the

Mechanism of Electrophoretic DNA Separation Provided by Quantitative Video-Epifluorescence Microscopy, 1009
—; Chrambach, A.: Conformational Correlatives of DNA Band Compression and Bidirectional Migration during Field Inversion Gel Electrophoresis, Detected by Quantitative Video Epifluorescence Microscopy, 1297
Razgulyaev, O. I. See Semisotnov, G. V., 119
Record, M. T., Jr. See Olmsted, M. C., 1593
Regoli, D.
—; Nantel, F.: Pharmacology of Neurokinin Receptors, 777
Regoli, D. See Hölzemann, G., 691
Rein, R. See Shibata, M., 211
Rene, B. See Mauffret, O., 1325
Ripoll, D. R.
—; Vásquez, M. J.; Scheraga, H. A.: The Electrostatically Driven Monte Carlo Method: Application to Conformational Analysis of Decaglycine, 319
Robledo-Luiggi, C.
—; Wilson, W. D.; Pares, E.; Vera, M.; Martinez, C. S.; Santiago, D.: Partial Intercalation with DNA of Peptides Containing Two Aromatic Amino Acids, 907
Rodger, A. See Lyng, R., 1709
Rodionova, N. A. See Semisotnov, G. V., 119
Roles, K. A.
—; Wunderlich, B.: Heat Capacities of Solid Poly(Amino Acids). I. Polyglycine, Poly(L-Alanine), and Poly(L-Valine), 477
Roncolini, C. See Barbucci, R., 827
Roques, B. P. See Delepierre, M., 331; Mely, Y., 899; Pothier, J., 1309
Rosenblat, G. F. See Kabanov, A. V., 1437
Rossi, F. See Tancredi, T., 761
Rothe, M. See Mästle, W., 735
Roubini, E. See Chorev, M., 725
Rustici, M. See Molinari, H., 713; Santucci, A., 1029
Ruzza, P. See Foffani, M. T., 671
Saba, G. See Dive, V., 305
Saenger, W. See Zielenkiewicz, P., 1347
Saga, Y. See Okuyama, K., 975
Said-Nejad, O. E. See Yamazaki, T., 877
Saif, B.
—; Mohr, R. K.; Montrose, C. J.; Litovitz, T. A.: On the Mechanism of Dielectric Relaxation in Aqueous DNA Solutions, 1171
Saitô, H.
—; Yamada, J.; Yoshioka, Y.; Shibata, Y.; Erata, T.: Evidence of Three Distinct Conformations—Single Chain, Single Helix, and Triple Helix—of (1 → 3)-β-D-Xylan in the Solid and Intact Frond of Green Algae as Studied by ^{13}C-NMR Spectroscopy, 933
Sakakibara, S. See Kobayashi, Y., 1213
Sakarellos, C. See Cung, M. T., 769
Salvadori, S. See Tancredi, T., 751
Santagada, V. See Tancredi, T., 751
Santiago, D. See Robledo-Luiggi, C., 907
Santini, A. See Toniolo, C., 129
Santucci, A.
—; Rustici, M.; Bracci, L.; Neri, P.: An Antigenic Determinant Common to Human Chorionic Somatomammotropin and Human Growth Hormone Revealed by Limited Proteolysis of Immune Complexes, 1029
Saroff, H. A.
Ionization of Clusters. IV. Cooperativity and Allosterism Derived from Shared Clusters in Macromolecules, 1037
Sartor, G. See Cavatorta, P., 653
Satoh, M.
—; Fujii, Y.; Kato, F.; Komiyama, J.: Solvent- and Salt-Induced Coil–Helix Transition of Alkali Metal Salts of Poly(L-Glutamic Acid) in Aqueous Organic Solvents, 1
Saudek, V. See Meyer, J.-P., 233
Saviano, M.
—; Aida, M.; Corongiu, G.: Molecular Dynamics Simulation in Vacuo and in Solution of Cyclolinopeptide A: A Conformational Study, 1017
—; Tancredi, T., 761
Savoie, R. See Audet, P., 243
Scarselli, M. See Molinari, H., 713
Scatturin, A. See Di Bello, C., 643, 1397
Scheraga, H. A. See Fossey, S. A., 1529; Ripoll, D. R., 319
Schick, K. L. See Newman, J., 1265
Schiller, P. W. See Yamazaki, T., 877
Schmieder, P. See Kessler, H., 621
Schnorrenberg, G. See Jung, G., 613
Scholtz, J. M.
—; Qian, H.; York, E. J.; Stewart, J. M.; Baldwin, R. L.: Parameters of Helix-Coil Transition Theory for Alanine-based Peptides of Varying Chain Lengths in Water, 1463
Schurr, J. M. See Song, L., 547
Schurtenberger, P.
—; Augusteyn, R. C.: Structural Properties of Polydisperse Biopolymer Solutions: A Light Scattering Study of Bovine α-Crystallin, 1229
Schwaller, M.-A.
—; Dodin, G.; Aubard, J.: Thermodynamics of Drug–DNA Interactions: Entropy-Driven Intercalation and Enthalpy-Driven Outside Binding in the Ellipticine Series, 519
Schwyzer, R.
Peptide–Membrane Interactions and a New Principle in Quantitative Structure–Activity Relationships, 785
Scott, P. G. See Otter, A., 449
Segawa, S.-I.
—; Fukuno, T.; Fujiwara, K.; Noda, Y.: Local Structures in Unfolded Lysozyme and Correlation with Secondary Structures in the Native Conformation: Helix-Forming or -Breaking Propensity of Peptide Segments, 497
Seils, J.
—; Dorfmüller, Th.: Internal

Dynamics of Linear and Superhelical DNA as Studied by Photon Correlation Spectroscopy, 813
Selinger, Z. See Chorev, M., 725; Gilon, C., 745
Semenov, M. A. See Starikov, E. B., 255
Semisotnov, G. V.
—; Rodionova, N. A.; Razgulyaev, O. I.; Uversky, V. N.; Gripas', A. F.; Gilmanshin, R. I.: Study of the "Molten Globule" Intermediate State in Protein Folding by a Hydrophobic Fluorescent Probe, 119
Serwer, P. See Griess, G. A., 11
Severin, E. S. See Kabanov, A. V., 1437
Shibata, M.
—; Zielinski, T. J.; Rein, R.: A Molecular Dynamics Study of the Effect of G·T Mispairs on the Conformation of DNA in Solution, 211
Shibata, Y. See Saitô, H., 933
Shick, R. See Lanan, M., 1095
Shikata, T.
—; Kotaka, T.: Biased Sinusoidal Field Gel Electrophoresis for Size-Dependent DNA Separation, 253
Shin, J. K.
—; Jhon, M. S.: High Directional Monte Carlo Procedure Coupled with the Temperature Heating and Annealing as a Method to Obtain the Global Energy Minimum Structure of Polypeptides and Proteins, 177
Siligardi, G. See García-Echeverría, C., 835
Silvestri, S. See Barbucci, R., 827
Simard, C. See Audet, P., 243
Singh, T. P. See Narula, P., 987
Smisek, D. See Arvanitidou, E., 435
Soane, D. S. See Grossman, P. D., 1221
Sobel, E. S.
—; Harpst, J. A.: Effects of Na^+ on the Persistence Length and Excluded Volume of T7 Bacteriophage DNA, 1559
Soman, K. V.
—; Karimi, A.; Case, D. A.: Unfolding of an α-Helix in Water, 1351
Song, L.
—; Kim, U.-S.; Wilcoxon, J.; Schurr, J. M.: Dynamic Light Scattering from Weakly Bending Rods: Estimation of the Dynamic Bending Rigidity of the M13 Virus, 547
Spisni, A. See Cavatorta, P., 653
Šponar, J. See Votavová, H., 275
Starikov, E. B.
—; Semenov, M. A.; Maleev, V. Y.; Gasan, A. I.: Evidential Study of Correlated Events in Biochemistry: Physicochemical Mechanisms of Nucleic Acid Hydration as Revealed by Factor Analysis, 255
Staško, A. See Lapčík, L'., Jr., 1429
Stellwagen, N. C.
Transient Electric Birefringence of Two Small DNA Restriction Fragments on the Same Molecular Weight, 1651
Sterin, S. See Aubry, A., 793
Stevens, E. S. See Duda, C. A., 1379
Stewart, J. M. See Scholtz, J. M., 1463
Stigter, D.
Shielding Effects of Small Ions in Gel Electrophoresis of DNA, 169
—; Alonso, D. O. V., 1631
Stokke, B. T. See Kitamura, S., 1243
St-Pierre, S. See Theriault, Y., 459
Sturtevant, J. M.
—; Holtzer, M. E.; Holtzer, A.: A Scanning Calorimetric Study of the Thermally Induced Unfolding of Various Forms of Tropomyosin, 489
Sukhanov, S. V. See Golovanov, A. P., 425
Svensson, B. See Fushiki, M., 1149
Swanson, S. D.
—; Bryant, R. G.: The Hydration Response of Poly(L-Lysine) Dynamics Measured by ^{13}C-NMR Spectroscopy, 967
Szabo, A. G. See Cavatorta, P., 653
Szmacinski, H. See Lakowicz, J. R., 1363

Tajmir-Riahi, H.-A.
Interaction of Guanylic Acid with the Mg(II), Ca(II), Sr(II), and Ba(II) Ions in the Crystalline Solid and Aqueous Solution: Evidence for the Ribose C2'-*endo/anti* and C3'-*endo/anti* Conformational Changes, 101
Interaction of La(III) and Tb(III) Ions with Purine Nucleotides: Evidence for Metal Chelation (N-7–M-PO_3) and the Effect of Macrochelate Formation on the Nucleotide Sugar Conformation, 1065
Takashima, H. See Kobayashi, Y., 1213
Takeo, K. See Kitamura, S., 1243
Tamaoki, H. See Kobayashi, Y., 1213
Tancredi, T.
—; Benedetti, E.; Grimaldi, M.; Pedone, C.; Rossi, F.; Saviano, M.; Temussi, P. A.; Zanotti, G.: Ion Binding of Cyclolinopeptide A: An NMR and CD Conformational Study, 761
—; Temussi, P. A.; Picone, D.; Amodeo, P.; Tomatis, R.; Salvadori, S.; Marastoni, M.; Santagada, V.; Balboni, G.: New Insights on μ/δ Selectivity of Opioid Peptides: Conformational Analysis of Deltorphin Analogues, 751
Temussi, P. A. See Tancredi, T., 751, 761
Teplukhin, A. V.
—; Poltev, V. I.; Chuprina, V. P.: Dependence of the Hydration Shell Structure in the Minor Groove of the DNA Double Helix on the Groove Width as Revealed by Monte Carlo Simulation, 1445
Theriault, Y.
—; Boulanger, Y.; St-Pierre, S.: Structural Determination of the Vasoactive Intestinal Peptide by Two-Dimensional ^1H-NMR Spectroscopy, 459
Thewalt, U. See Mästle, W., 735
Thomason, J. See Oshiro, C. M., 1049
Thomasson, K. A.
—; Applequist, J.: Effects of Proline Ring Conformation on Theoretical π–π^* Absorption and CD Spectra of Helical Poly(L-Proline) Forms I and II, 529

Toma, F. See Dive, V., 305
Tomatis, R. See Tancredi, T., 751
Toniolo, C.
—; Crisma, M.; Bonora, G. M.; Benedetti, E.; Di Blasio, B.; Pavone, V.; Pedone, C.; Santini, A.: Preferred Conformation of the Terminally Blocked $(Aib)_{10}$ Homo-Oligopeptide: A Long, Regular 3_{10}-Helix, 129
—; Crisma, M., 637; Nebel, K., 1135; Valle, G., 1669
Tourwé, D. See Delaet, N. G. J., 1409
Trapanese, M. See Emanuele, A., 859
Trivellone, E. See Di Bello, C., 643, 1397
Tsikaris, V. See Cung, M. T., 769
Tzartos, S. J. See Cung, M. T., 769

Uedaira, H. See Honda, S., 869
Uma, K. See Valle, G., 1669
Urry, D. W. See Luan, C.-H., 465
Uversky, V. N. See Semisotnov, G. V., 119

Valensin, G. See Dive, V., 305
Valensin, P. E. See Neri, P., 631
Valle, G.
—; Bardi, R.; Piazzesi, A. M.; Crisma, M.; Toniolo, C.; Cavicchioni, G.; Uma, K.; Balaram, P.: Crystal State Conformation of Three Model Monomer Units for The β-Bend Ribbon Structure, 1669
—; Crisma, M., 637
Van Binst, G. See Delaet, N. G. J., 1409
van Genderen, M. H. P. See Vanhommerig, S. A. M., 1087
Vanhommerig, S. A. M.
—; van Genderen, M. H. P.; Buck, H. M.: A Stable Antiparallel Cytosine–Thymine Base Pair Occurring Only at the End of a Duplex, 1087
Vásquez, M. J. See Ripoll, D. R., 319
Vera, M. See Robledo-Luiggi, C., 907
Verdini, A. S.
—; Chiappinelli, L.; Zanobi, A.: Toward the Elucidation of the Mechanism of Attachment and Entry of Malaria Sporozoites into Cells: Synthetic Polypeptides from the Circumsporozoite Protein of *Plasmodium falciparum* Bind Ca^{2+} and Interact with Model Phospholipid Membranes, 587
Verheyden, P. M. F. See Delaet, N. G. J., 1409
Vertuani, G. See Di Bello, C., 1397
Vidal, J. See Aubry, A., 793
Vorontsova, O. V. See Kuznetsov, I. A., 65
Votavová, H.
—; Pírková, J.; Gut, V.; Šponar, J.; Bláha, K.: Effect of Basic Oligopeptides on the B-Z Transition of Poly(dG-dC)·Poly(dG-dC) in Water–Methanol Solutions, 275

Wade, R. C.
—; Mazor, M. H.; McCammon, J. A.; Quiocho, F. A.: A Molecular Dynamics Study of Thermodynamic and Structural Aspects of the Hydration of Cavities in Proteins, 919
Waring, M. J. See Alfredson, T. V., 1689
Watanabe, T. X. See Kobayashi, Y., 1213
Weber, T. See Mästle, W., 735
Werner, R. See Freund, S., 803
Whytock, S.
—; Finch, J.: The Substructure of Agarose Gels as Prepared for Electrophoresis, 1025
Wiczk, W. See Lakowicz, J. R., 1363
Wilcoxon, J. See Song, L., 547
Wilson, W. D. See Hopkins, H. P., Jr., 1105; Robledo-Luiggi, C., 907
Witschel, W. See Mästle, W., 735
Woodward, C. E. See Fushiki, M., 1149
Woody, R. W. See Gans, P. J., 1605; Manning, M. C., 569
Wu, H. See Kadkhodaei, M., 1581
Wunderlich, B. See Roles, K. A., 477

Yamada, J. See Saitô, H., 933
Yamaoka, K. See Fukudome, K., 1455
Yamazaki, T.
—; Nunami, K.; Goodman, M.: Cyclic Retro-Inverso Dipeptides with Two Aromatic Side Chains. II. Conformational Analysis, 1513
—; Said-Nejad, O. E.; Schiller, P. W.; Goodman, M.: Conformational Studies of Stereoisomeric 14-Membered Cyclic Enkephalin Analogues Containing 1-Naphthylalanine at the Fourth Position: Chirality Effect of Leucine at the Fifth Position on Biological Activity and Receptor Selectivity, 877
—; Nunami, K., 1503
Yang, X. See Di Blasio, B., 1181
Yarmush, M. L. See Murphy, R. M., 1289
Yiotakis, A. See Dive, V., 305
York, E. J. See Scholtz, J. M., 1463
Yoshioka, Y. See Saitô, H., 933
Young, L. See Prabhu, V. V., 355

Zanobi, A. See Verdini, A. S., 587
Zanotti, G. See Tancredi, T., 761
Zetta, L. See Molinari, H., 713
Zhang, S.
—; Bello, J.: Reaction of Colchicine with Peptide Amino Groups (Research Communication), 1241
Zhang, W.
—; Piculell, L.; Nilsson, S.: Salt Dependence and Ion Specificity of the Coil-Helix Transition of Furcellaran, 1727
Zhuang, W. See Chen, Y. Z., 1273
Zielenkiewicz, P.
—; Georgalis, Y.; Saenger, W.: Self-Association of Bovine Pancreatic Trypsin Inhibitor: Specific or Nonspecific? (Research Communication), 1347
Zielinski, T. J. See Shibata, M., 211